

Losterin

“Losterin” naphtalan zinc paste, 50 ml

**Provides predrying, astringent
and antiseptic action.
Reduces itching and skin irritation**

Ingredients: Petrolatum, Zinc oxide, Naphtalane.

Weeping dermatitis/dermatosis are one of the numerous inflammatory skin diseases, characterized by specific eruption with evident swelling, redness, skin irritation accompanied by exudation – discharge of serous fluid on eruption surface, with a further formation of serous coat. This disease is accompanied by high risk of consecutive infection.

Purpose of use: “Losterin” naphtalan zinc paste is a combined non-hormonal medication for external use during skin disease exacerbation accompanied by oozing.

“Losterin” paste is recommended:

- for a complex treatment of different weeping dermatitis/dermatosis forms such as:
 - **Eczema**
 - **Atopic dermatitis (Neurodermatitis)**
 - **Allergic contact dermatitis**
 - **Seborrhea dermatitis**
 - **Psoriasis exudativa**
 - **Lichen simplex chronicus (Vidal's disease)**
 - **Pyodermatitis**
 - **Trophic ulcers**
 - **Erysipelas**
 - **Intertrigos**
- for oozing lesion jugulation and reduction different dermatitis inflammation process;
- for damaged skin barrier, intertrigos and skin irritation.

“Losterin” naphtalan zinc paste complex therapeutic effect is provided due to components in its composition:

Resin free naphtalan is a purified from resinous substances natural naphtalan, with a significant anti-inflammatory, antipruritic, antibacterial, desensitise and anesthetic action, improves micro-circulation, increases metabolic process intensity and stimulates skin trophic functions.

Zinc oxide has an adsorbent, antiseptic, astringent and predrying action. It reduces exudation, local inflammation and skin irritation, promotes cells division process, formation of protective layer on erosion areas, preventing wound infection. Besides, zinc oxide binds water molecules, leaving microorganisms on effected skin area without nutritional substances. Taking an active part in cells division process, zinc also increases collagen synthesis and promotes faster healing and skin restoration.

Thus, “Losterin” naphtalan zinc paste ingredients possess significant anti-inflammatory, antipruritic, adsorbent, astringent, predrying and anti-microbial action, promotes skin regeneration, increases skin barrier.

“Losterin” naphtalan zinc paste may be used as a monotherapy, as well as in a combination with external hormonal medications. Systematic application and course treatment is required in order to achieve a stable result in case of certain pathological processes.

**“Losterin” does not contain hormones,
coloring agents and fragrances.**

Application recommendations: apply a thick layer of “Losterin” naphtalan zinc paste on the effected skin area 2-3 times a day. It is recommended to use paste from 3 to 10 days, depending on the pathological process stage and duration, exacerbation and its intensity and individual preferences. Interval duration between treatments depends on skin condition normalization and exacerbation tendency. For external use only!

Please consult your doctor before the application.

Storage conditions: store at temp +5 °C to +25 °C, avoid direct sunlight during storage.

Safety precautions: not to be used if case of components intolerance.

Shelf life: 24 months. Manufactory date (month, year), lot number are indicated at a tube joint.



www.losterin.com

Losterin – take care of your skin health!



GOST 31460 – 2012 In accordance with CU TP 009/2011

Manufacturer: LLC Scientific and production corporation “AC-COM”, Russia, 117545, Moscow, Dorozhnaya 8/1.

Production address: Russia, 142155, Moscow region, Podolskiy district, Lvovskiy prospect, ul. Metalurgov 8.

Ordered by: LLC “Bestwood Pharma”, Russia, 125445, city of Moscow, Smolnaya street, bld. 24A, office 814
Telephone: +7 (495) 664-59-70.

Organization for customers claims:

LLC “Bestwood Pharma”, Russia, 125445, city of Moscow, Smolnaya street, bld. 24A, office 814
Telephone: +7 (495) 664-59-70